

# Let Us Offer You More Energy Solutions Today

Camelion has provided solutions for customers worldwide for over 20 years.

Our mission is to satisfy our customers with qualified products, customer friendly pricing and detailed services. We are dedicated to provide all sorts of energy solutions to you and your family, do not hesitate and try us out!



## CHINA

Camelion Battery Co., Ltd  
Unit 705, Cyber Times Tower A,  
Tianan Cyber Park, Shenzhen,  
Guangdong 518041,  
China

Camelion Enterprises Ltd.  
Flat A, 8/F, MG Tower,  
133 Hoi Bun Road, Kwun Tong, Kln.,  
Hong Kong

## GERMANY

Camelion Batterien GmbH.  
Bergiusstr. 53-59,D - 12057 Berlin,  
Germany

## NORTH AMERICA

Camelion Holding Inc.  
Batteries and Things Inc.  
365 24th Street, LaSalle, IL 61301

## LATIN AMERICA

Camelion Battery Co., Inc.  
5000 SW 75th Avenue, Suit 236  
Miami, Florida 33155

For more information about Camelion, please visit [www.camelionbattery.com](http://www.camelionbattery.com)




Camelion is a registered trademark of Camelion Battery Co., Ltd.  
All other brand names are trademarks or registered trademarks of the respective companies.  
Copyright ©2018 Camelion Battery Co., Ltd. All rights reserved.

[www.camelionbattery.com](http://www.camelionbattery.com)

CA-PS-2019

Product Catalogue 2019

# Power Supplies




**Camelion**<sup>®</sup>  
More Energy Solutions

[www.camelionbattery.com](http://www.camelionbattery.com)



## ***More Energy Solutions***



**Try us out  
today!**

- **Mobile Power**
- **Wireless Charger Mobile Power**
- **Wireless Charger**
- **Wall Charger**
- **Car Charger**
- **USB Cable**

# CONTENT

## Mobile Power

PS661	<b>4</b>
PS711	<b>4</b>
PS691	<b>5</b>
PS692	<b>5</b>
PS709	<b>6</b>
PS712	<b>6</b>

## Wireless Charger Mobile Power

PSW50	<b>7</b>
PSW100	<b>7</b>

## Wireless Charger

WLC001	<b>8</b>
WLC002	<b>8</b>

## Wall Charger

AD582	<b>9</b>
AD585C	<b>9</b>
AD585	<b>10</b>
AD583	<b>10</b>
AD594	<b>11</b>
AD595F	<b>11</b>

## Car Charger

DD802	<b>12</b>
DD811	<b>12</b>
DD823	<b>12</b>
DD812	<b>13</b>
DD822C	<b>13</b>

## USB Cable

CDC011	<b>14</b>
CDC012	<b>14</b>
CDC013	<b>14</b>
CDC015	<b>14</b>
CDC016	<b>14</b>
CDC018	<b>14</b>
CDC019	<b>14</b>
CDC020	<b>14</b>


## USB Cable + Car Charger

**15**

## > Mobile Power

Camelion Mobile Power offers you fast, easy and reliable power source for your mobile devices. Integrated with top quality battery cells, we ensure you a product of long life and fully compliant with international safety standards

### PS661



PS661-104DB

Accessory:  
USB Cable  
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%



#### Main Features

- Compatible with most mobile devices
- Dual USB output
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power indicator

#### Specifications

Battery: 3.7V 10400mAh 38.48Wh, Li-ion Battery  
Input: 5V  $\overline{\text{---}}$  2A Output: 5V  $\overline{\text{---}}$  3.1A Max  
Output 1: 5V  $\overline{\text{---}}$  1A Output 2: 5V  $\overline{\text{---}}$  2.4A

#### Packaging

	Weight(g)	260
	Dimensions (W) x (H) x (D)(mm)	85 x 109 x 35
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	48
	Net Weight(kg)	13
	Gross Weight(kg)	14
	Dimensions (L)x (W) x (H) (cm)	55 x 44 x 25.5
	Volume(cbm)	0.0617

### PS711



Accessory:  
USB Cable  
(L:30cm)



LED Status (● ON ○ FLASH)	Capacity
●	100%
○ ○ ○ ○	75%-99%
○ ○ ○	50%-75%
○ ○	25%-50%
○	<25%



#### Main Features

- Compatible with most mobile devices
- Light weight and compact
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power indicator

#### Specifications

Battery: 3.7V 4000mAh 14.8Wh, Li-polymer Battery  
Input: 5V  $\overline{\text{---}}$  1A  
Output: 5V  $\overline{\text{---}}$  1A

#### Packaging

	Weight(g)	101
	Dimensions (W) x (H) x (D)(mm)	112 x 66 x 9
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
	Volume(cbm)	/

### PS691



#### Main Features

- Compatible with most mobile devices
- Light weight and compact
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power Indicator

#### Specifications

**Battery:** 3.7V 5000mAh 18.5Wh, Li-polymer Battery  
**Input:** Micro USB 5V  $\overline{\text{---}}$  2A  
**Output:** 5V  $\overline{\text{---}}$  2.1A



PS691-50HCB

**Accessory:**  
 USB Cable  
 (L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%

#### Packaging

Inner Carton	Weight(g)	125
	Dimensions (W) x (H) x (D)(mm)	105 x 63.5 x 14
	Packs / Inner ctn	12
	Net Weight(kg)	/
Outer Carton	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.8 x 11.5 x 12.2
	Packs / Carton	48
	Net Weight(kg)	7.3
Outer Carton	Gross Weight(kg)	7.92
	Dimensions (L)x (W) x (H) (cm)	40.5 x 24.5 x 26.5
	Volume(cbm)	0.0263

### PS692



#### Main Features

- Compatible with most mobile devices
- Dual USB output
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power Indicator

#### Specifications

**Battery:** 3.7V 10000mAh 37Wh, Li-polymer battery  
**Input:** Micro USB 5V  $\overline{\text{---}}$  2A  
**Output:** 5V  $\overline{\text{---}}$  2.1A(Total)  
 output 1: 5V  $\overline{\text{---}}$  1A  
 Output 2: 5V  $\overline{\text{---}}$  2.1A



PS692-100HCB

**Accessory:**  
 USB Cable  
 (L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%

#### Packaging

Inner Carton	Weight(g)	220
	Dimensions (W) x (H) x (D)(mm)	138 x 69 x 16.8
	Packs / Inner ctn	12
	Net Weight(kg)	/
Outer Carton	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.8 x 13.5 x 12.2
	Packs / Carton	48
	Net Weight(kg)	12.01
Outer Carton	Gross Weight(kg)	12.63
	Dimensions (L)x (W) x (H) (cm)	40.5 x 28.5 x 26.5
	Volume(cbm)	0.0306

# PS709



**Accessory:**  
USB Cable  
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%



## Main Features

- Compatible with most mobile devices
- Dual USB output
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power Indicator

## Specifications

**Battery:** 3.7V 8000mAh 29.6Wh, Li-polymer battery  
**Input:** Micro USB 5V  $\equiv$  2A  
**Output 1:** 5V  $\equiv$  2.1A  
**Output 2:** 5V  $\equiv$  2.1A

## Packaging

	Weight(g)	192
	Dimensions (W) x (H) x (D)(mm)	133 x 72 x 17
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
	Volume(cbm)	/

# PS712



**Accessory:**  
USB Cable  
(L:30cm)



## Main Features

- Compatible with most mobile devices
- Support Micro USB and Type-C input
- Support USB and type-C output
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- Digital power Indicator

## Specifications

**Battery:** 3.7V 10000mAh 37Wh, Li-polymer battery  
**Input:** Micro USB: 5V  $\equiv$  1.5A Type-C:5V  $\equiv$  2.4A  
**Output:** USB-A: 5V  $\equiv$  2.4A Type-C:5V  $\equiv$  3A

## Packaging

	Weight(g)	230
	Dimensions (W) x (H) x (D)(mm)	153 x 75 x 15
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
	Volume(cbm)	/

## > Wireless Charger Mobile Power

Camelion Wireless Charger Mobile Power offers the best charging experience ever. It is equipped with multiple protection and high efficient conversion circuit. The device works as a mobile power and a wireless charger at the same time, and compatible to WPC transfer transmitter standard.

# Camelion®

## PSW50



**Accessory:**  
USB Cable  
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%



PSW50-HCB

### Main Features

- 2 IN 1 Wireless Charger and Mobile power
- 5000mAh Mobile Power
- Compatible Qi Standard
- Compatible with all USB powered devices
- Easy to read power and wireless charging work indicator
- Non-slip

### Specifications

**Battery:** 3.7V 5000mAh 18.5Wh, Li-polymer battery  
**Input:** Micro USB: 5V  $\equiv$  2A  
 Type-C: 5V  $\equiv$  2A  
**Output:** USB: 5V  $\equiv$  2.1A  
 Wireless Charging: 5W Max  
 USB + Wireless Charging: 10W Max

### Packaging

	Weight(g)	160
	Dimensions (W) x (H) x (D)(mm)	76 x 154 x 11.5
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.8 x 11.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	9.36
	Gross Weight(kg)	9.96
	Dimensions (L)x (W) x (H) (cm)	40.5 x 24.5 x 26.5
	Volume(cbm)	0.0263

## PSW100



**Accessory:**  
USB Cable  
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%



PSW100-HCB

### Main Features

- 2 IN 1 Wireless Charger and Mobile power
- 10000mAh Mobile Power
- Compatible Qi Standard
- Compatible with all USB powered devices
- Easy to read power and wireless charging work indicator
- Non-slip

### Specifications

**Battery:** 3.7V 10000mAh 37Wh, Li-polymer battery  
**Input:** Micro port: 5V  $\equiv$  2A  
 Type-C port: 5V  $\equiv$  2A  
**Output:** USB port: 5V  $\equiv$  2.1A  
 Wireless Charging: 5W max  
 USB port + Wireless Charging: 10W max

### Packaging

	Weight(g)	230
	Dimensions (W) x (H) x (D)(mm)	68.5 x 143 x 18
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.8 x 15.8 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	12
	Gross Weight(kg)	12.6
	Dimensions (L)x (W) x (H) (cm)	40.5 x 33.1 x 26.5
	Volume(cbm)	0.0352



## > Wireless Charger

Camelion Wireless charger offers you convenient, efficient and reliable power source for your mobile devices. Compatible Qi wireless charging standard, we ensure you the product supports almost all wireless charging receivers and fully compliant with international safety standards.

### WLC-001



WLC-001-HCB

**Accessory:**  
USB Cable  
(L:1m)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%

#### Main Features

- Stylish Appearance - transparent materials applied, with simple operating procedures
- Compatible Qi standard - support most of Qi wireless power receiver
- Non-slip - designed with a non-slippery area within the surface
- LED Indicator - clear display about battery status and charge status

#### Specifications

**Input:** Micro USB 5V --- 2A Max  
**Output:** 5W (Max)  
**Charging Efficiency:** up to 75%

#### Packaging

	Weight(g)	80
	Dimensions (mm)	φ100×10
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	42
	Net Weight(kg)	4.8
	Gross Weight(kg)	4.9
	Dimensions (L)x (W) x (H) (cm)	38 x 12.5 x 24.5
	Volume(cbm)	0.0116

### WLC-002



WLC-002-HCB

**Accessory:**  
Adaptor  
USB Cable(L:1m)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%

#### Main Features

- Stylish Appearance - Elliptical shape and inclined surface, with simple operating procedures
- Fast Wireless Charging - output up to 10W
- Qi Certified - support most of Qi wireless power receiver
- Non-slip - designed with a non-slippery area within the surface
- LED Indicator - clear display about charge status

#### Specifications

**Input:** Micro USB 5V --- 2A / 9V --- 2A  
**Output:** 10W Max  
**Charging Efficiency:** up to 75%  
**Operating Temperature:** up to 40°C

**Adapter:**  
Input AC 100-240V  
Output: 18W QC3.0

#### Packaging

	Weight(g)	83
	Dimensions (mm)	96 × 115 × 24
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	20
	Net Weight(kg)	2.3
	Gross Weight(kg)	2.38
	Dimensions (L)x (W) x (H) (cm)	38 x 12.5 x 24.5
	Volume(cbm)	0.0116

## > Wall Chargers



Camelion Wall Chargers offers you fast, reliable and efficient charging at home, office or during your travels. It comes in different sizes and all works with universal voltage, providing you the convenience of charging your mobile devices wherever you go.

# Camelion®

### AD582



AD582-VCB



#### Main Features

- Compatible with most tablets and smart phones
- Dual USB port enable to charge 2 devices at the same time
- Over current and short circuit protection

#### Specifications

**Input:** 100-240V ~ 50/60Hz 0.5A Max  
**Output:** 5V  $\equiv$  2.4A (Max Total)  
 5V  $\equiv$  2.4A (Each USB)



#### Packaging

Blister	Plug:	UL	TUV
	Weight(g)	80	85
Dimensions (W) x (H) x (D)(mm)		80 x 150 x 21	80 x 150 x 21
Inner Carton	Packs / Inner ctn	24	24
	Net Weight(kg)	/	/
	Gross Weight(kg)	/	/
	Dimensions (L)x (W) x (H) (cm)	36 x 31 x 9.2	36 x 31 x 9.2
Outer Carton	Packs / Carton	48	48
	Net Weight(kg)	2.1	/
	Gross Weight(kg)	3.2	/
	Dimensions (L)x (W) x (H) (cm)	31 x 32.5 x 21	31 x 32.5 x 21
	Volume(cbm)	0.025	0.025

### AD585C



AD585C-VCB



#### Main Features

- Compact
- Maximum 3 Output
- Type C output
- Short Circuit Protection
- Over Current Protection

#### Specifications

**Input:** 100-240V ~ 50/60Hz 600mA Max  
**Output:** 5V  $\equiv$  3.4A(Max total)  
 5V  $\equiv$  2.4A(Each USB)  
 5V  $\equiv$  3.0A(Type-C)


#### Packaging

Blister	Plug:	TUV
	Weight(g)	80
Dimensions (W) x (H) x (D)(mm)		80 x 150 x 29
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	3.84
	Gross Weight(kg)	4.46
	Dimensions (L)x (W) x (H) (cm)	39.5 x 32.5 x 20.5
	Volume(cbm)	0.0263

## AD585



AD585-HCB



### Main Features

- Compatible with most tablets and Smartphones
- 3 USB ports enable to charge 3 devices at the same time
- Over current and short circuit protections

### Specifications

**Input:** 100-240V ~ 50/60Hz 600mA Max  
**Output:** 5V  $\overline{\text{---}}$  3.4A (Max total)  
 5V  $\overline{\text{---}}$  2.4A (Each USB)


### Packaging

Blister	Plug:	/
	Weight(g)	/
	Dimensions (W) x (H) x (D)(mm)	/
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	39.5 x 32.5 x 20.5
	Volume(cbm)	0.0263

## AD583



AD583-HCB



### Main Features

- Quick charge 3.0 output
- Dual USB output
- Short circuit and over current protections

### Specifications

**Input:** 100-240V ~ 50/60Hz 600mA Max  
**Output:** 30W(Max total)  
 USB 1: 5V  $\overline{\text{---}}$  3A, 9V  $\overline{\text{---}}$  2A, 12V  $\overline{\text{---}}$  1.5A, QC3.0  
 USB 2: 5V  $\overline{\text{---}}$  2.4A


### Packaging

Blister	Plug:	TUV
	Weight(g)	80
	Dimensions (W) x (H) x (D)(mm)	80 x 150 x 30
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	39 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	4.8
	Gross Weight(kg)	5.42
	Dimensions (L)x (W) x (H) (cm)	40.5 x 32.5 x 20.5
	Volume(cbm)	0.0269

## AD594



AD594-HCB



### Main Features

- Compatible with most tablets and Smartphones
- Type-C port support PD protocol for quick charging
- Over current and short circuit protections

### Specifications

**Input:** 100-240V~50/60Hz 0.5A  
**Output:** 5V --- 3A  
 9V --- 2A  
 12V --- 1.5A


### Packaging

Blister	Plug:	TUV
	Weight(g)	84
	Dimensions (W) x (H) x (D)(mm)	80 x 150 x 29
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	4.03
	Gross Weight(kg)	4.65
	Dimensions (L)x (W) x (H) (cm)	39.5 x 32.5 x 20.5
	Volume(cbm)	0.0263

## AD595F



AD595F-HCB



### Main Features

- Compatible with most tablets and Smartphones
- Dual USB port support PD and QC3.0 protocol for quick charging
- Over current and short circuit protections

### Specifications

**Input:** 100-240V~50/60Hz 0.5A  
**Output:** Type-C PD3.0  
 5V --- 3A, 9V --- 2A, 12V --- 1.5A  
 Type-A QC3.0  
 5V --- 3A, 9V --- 2A, 12V --- 1.5A  
**Power:** 18W Max

### Packaging

Blister	Plug:	TUV
	Weight(g)	83
	Dimensions (W) x (H) x (D)(mm)	80 x 150 x 29
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	3.98
	Gross Weight(kg)	4.6
	Dimensions (L)x (W) x (H) (cm)	39.5 x 32.5 x 20.5
	Volume(cbm)	0.0263

## > Car Chargers

Camelion USB Car Charger is one of the smallest, simplest car chargers on the market today, and provides power for mobile devices when you are on the road.

### DD802



#### Main Features


- Powered directly from cigarette lighter plug
- Compatible with most vehicle power ports
- Compatible with most mobile devices
- Short circuit & overheating protections

#### Specifications

**Input:** 12 - 24V  $\overline{\text{---}}$   
**Output:** 5V  $\overline{\text{---}}$  1A



DD802-DB



Unit:mm

#### Packaging

Blister	Weight(g)	56.3
	Dimensions (W) x (H) x (D)(mm)	112 x 184 x 57
Inner Carton	Packs / Inner ctn	24
	Dimensions (L)x (W) x (H) (cm)	23.1 x 19.1 x 12.4
Outer Carton	Packs / Carton	48
	Net Weight(kg)	2.7
	Gross Weight(kg)	3.9
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	39.6 x 24.5 x 40 0.0388

### DD811



#### Main Features


- 2.1A output USB port for fast charging
- Powered directly from cigarette lighter plug
- Compatible with most vehicle power ports
- Compatible with most mobile devices
- Short circuit & overheating protections

#### Specifications

**Input:** 12 - 24V  $\overline{\text{---}}$  1.3A Max  
**Power Output:** 5V  $\overline{\text{---}}$  2.1A



DD811-DB



Unit:mm

#### Packaging

Blister	Weight(g)	52
	Dimensions (W) x (H) x (D)(mm)	107 x 171 x 55
Inner Carton	Packs / Inner ctn	24
	Dimensions (L)x (W) x (H) (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight(kg)	1.9
	Gross Weight(kg)	2.9
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	36.5 x 32.5 x 38.0 0.0388

### DD823



#### Main Features


- Compatible with most mobile devices
- Dual USB port enable to charge 2 mobile devices at the same time

#### Specifications

**Input:** 12V - 24V  $\overline{\text{---}}$  1.3A Max  
**Output:** 5V  $\overline{\text{---}}$  2.1A(Max total)  
 5V  $\overline{\text{---}}$  2.1A(Each USB)



DD823-DB



Unit:mm

#### Packaging

Blister	Weight(g)	66
	Dimensions (W) x (H) x (D)(mm)	107x 171 x 35
Inner Carton	Packs / Inner ctn	24
	Dimensions (L)x (W) x (H) (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight(kg)	3.2
	Gross Weight(kg)	4
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	36.5 x 32.5 x 38 0.0451

## DD812




### Main Features

- 3.4A USB ports for possible fast charging
- Dual-USB port enable to charge 2 devices at the same time
- Power for tablet, smartphone and other mobile devices
- Over Current and short circuit protection

### Specifications

**Input:** 12V - 24V  $\equiv$  2A Max  
**Output:** 5V  $\equiv$  3.4A (2.4A + 1A)



Unit:mm

DD812-DB

### Packaging

Blister	Weight(g)	66
	Dimensions (W) x (H) x (D)(mm)	133 x 220 x 69
Inner Carton	Packs / Inner ctn	18
	Dimensions (L)x (W) x (H) (cm)	41.5 x 30 x 23.5
Outer Carton	Packs / Carton	36
	Net Weight(kg)	2.4
	Gross Weight(kg)	3.9
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	48.5 x 31.5 x 43.5 0.0665

## DD822C




### Main Features

- 4.8A USB ports for possible fast charging
- Dual-USB port enable to charge 2 devices at the same time
- Power for tablet, smartphone and other mobile devices
- Over Current and short circuit protection

### Specifications

**Input:** 12V - 24V  $\equiv$  3A Max  
**Output:** 5V  $\equiv$  4.8A (Max total)  
 5V  $\equiv$  2.4A (Each USB)



Unit:mm

DD822C-DB

### Packaging

Blister	Weight(g)	28
	Dimensions (W) x (H) x (D)(mm)	107x 171 x 35
Inner Carton	Packs / Inner ctn	24
	Dimensions (L)x (W) x (H) (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight(kg)	1.91
	Gross Weight(kg)	2.53
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	36.5 x 32.5 x 38 0.0451

## > USB Cable

Camelion USB Cable are flawlessly safe and durable. The cable can withstand bending and plugging for up to 3000 times, and is compatible with 2.4A fast chargers, making it the perfect choice to charge your device.

### CDC011

TYPE-C Charging Cable



#### Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

### CDC012

Lightning Charging Cable



#### Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

### CDC013

Micro USB Charging Cable



#### Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

### CDC015

2 in 1 Charging Cable  
Lightning 8 pin & Micro USB



#### Main Features

- Micro USB + 8 pin Lightning
- Durable Nylon Cable
- Over 3000 plug in & unplug cycles
- Compatible with 2.4A fast chargers
- Temperature resistant
- 1 meter length

### CDC016

3 in 1 USB Charging Cable  
Lightning & Micro USB & Type C



#### Main Features

- Micro USB + 8 pin Lightning + Type C
- Durable Nylon cable
- Over 3000 plug in & unplug cycles
- Compatible with 2.4A fast chargers

### CDC018

Type-C data cable  
Type-C to Lightning



#### Main Features

- Type-C to 8 pin Lightning
- Sync data
- Durable Nylon cable
- Over 3000 plug in & unplug cycles

### CDC019

Type-C data cable  
Type-C to Micro USB



#### Main Features

- Type-C to Micro USB
- Sync data
- Durable Nylon cable
- Over 3000 plug in & unplug cycles

### CDC020

Type-C data cable  
Type-C to Type-C



#### Main Features

- Type-C to Type-C
- Sync data
- Durable Nylon cable
- Over 3000 plug in & unplug cycles

## Packaging



Model		CDC012	CDC013	CDC015	CDC016
Cable	Length(cm)	100	100	100	100
	Weight(g)	42	42	42	42
Blister	Dimensions (W) x (H) x (D)(mm)	173 x 92 x 21	173 x 92 x 21	173 x 92 x 21	173 x 92 x 21
	Packs / Inner ctn	12	12	12	12
Inner Carton	Dimensions (L)x (W) x (H) (cm)	27.6 x 9.9 x 18.8	27.6 x 9.9 x 18.8	27.6 x 9.9 x 18.8	27.6 x 9.9 x 18.8
	Packs / Carton	96	96	96	96
Outer Carton	Net Weight(kg)	3.9	3.9	3.9	3.9
	Gross Weight(kg)	5.3	5.3	5.3	5.3
	Dimensions (L)x (W) x (H) (cm)	42.0 x 29.0 x 40.0	42.0 x 29.0 x 40.0	42.0 x 29.0 x 40.0	42.0 x 29.0 x 40.0
	Volume(cbm)	0.0487	0.0487	0.0487	0.0487

## > Car Charger + USB Cable

Camelion Car Charger + USB Cable combination pack has all you need with a special price. The car charger provides stable output, and the cable provides a fast and safe connection. They provide all the necessities when travelling around or driving on the road.



	Car Charger	USB Cable
<b>Combination</b>	DD802, DD811, DD812, DD822C, DD823	CDC012, CDC013, CDC015, CDC016
Box	Weight(g)	85*
	Dimensions (W) x (H) x (D)(mm)	85 x 167 x 30
Inner Carton	Packs / Inner ctn	12
	Dimensions (L)x (W) x (H) (cm)	19.5 x 18.0 x 20.5
Outer Carton	Packs / Carton	48
	Net Weight(kg)	3.2*
	Gross Weight(kg)	4.7*
	Dimensions (L)x (W) x (H) (cm)	41.0 x 38.0 x 22.5
	Volume(cbm)	0.0351

\*Different product combination will result in different gross weight