


Product Catalogue 2019
Power Supplies




Camelion[®]
More Energy Solutions



www.camelionbattery.com



More Energy Solutions



**Try us out
today!**

- **Mobile Power**
- **Wireless Charger Mobile Power**
- **Wireless Charger**
- **Wall Charger**
- **Car Charger**
- **USB Cable**

CONTENT

Mobile Power

PS661	4
PS711	4
PS691	5
PS692	5
PS709	6
PS712	6

Wireless Charger Mobile Power

PSW50	7
PSW100	7

Wireless Charger

WLC001	8
WLC002	8

Wall Charger

AD582	9
AD585C	9
AD585	10
AD583	10
AD594	11
AD595F	11

Car Charger

DD802	12
DD811	12
DD823	12
DD812	13
DD822C	13

USB Cable

CDC011	14
CDC012	14
CDC013	14
CDC015	14
CDC016	14
CDC018	14
CDC019	14
CDC020	14


USB Cable + Car Charger

15

> Mobile Power

Camelion Mobile Power offers you fast, easy and reliable power source for your mobile devices. Integrated with top quality battery cells, we ensure you a product of long life and fully compliant with international safety standards

PS661



PS661-104DB

Accessory:
USB Cable
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%



Main Features

- Compatible with most mobile devices
- Dual USB output
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power indicator

Specifications

Battery: 3.7V 10400mAh 38.48Wh, Li-ion Battery
 Input: 5V $\overline{\text{---}}$ 2A Output: 5V $\overline{\text{---}}$ 3.1A Max
 Output 1: 5V $\overline{\text{---}}$ 1A Output 2: 5V $\overline{\text{---}}$ 2.4A

Packaging

	Weight(g)	260
	Dimensions (W) x (H) x (D)(mm)	85 x 109 x 35
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	48
	Net Weight(kg)	13
	Gross Weight(kg)	14
	Dimensions (L)x (W) x (H) (cm)	55 x 44 x 25.5
	Volume(cbm)	0.0617

PS711



Accessory:
USB Cable
(L:30cm)



LED Status (● ON ○ FLASH)	Capacity
●	100%
○ ○ ○ ○	75%-99%
○ ○ ○	50%-75%
○ ○	25%-50%
○	<25%



Main Features

- Compatible with most mobile devices
- Light weight and compact
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power indicator

Specifications

Battery: 3.7V 4000mAh 14.8Wh, Li-polymer Battery
 Input: 5V $\overline{\text{---}}$ 1A
 Output: 5V $\overline{\text{---}}$ 1A

Packaging

	Weight(g)	101
	Dimensions (W) x (H) x (D)(mm)	112 x 66 x 9
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
	Volume(cbm)	/

PS691



Main Features

- Compatible with most mobile devices
- Light weight and compact
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power Indicator

Specifications

Battery: 3.7V 5000mAh 18.5Wh, Li-polymer Battery
Input: Micro USB 5V $\overline{\text{---}}$ 2A
Output: 5V $\overline{\text{---}}$ 2.1A



PS691-50HCB

Accessory:
 USB Cable
 (L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%

Packaging

	Weight(g)	125
	Dimensions (W) x (H) x (D)(mm)	105 x 63.5 x 14
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.8 x 11.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	7.3
	Gross Weight(kg)	7.92
	Dimensions (L)x (W) x (H) (cm)	40.5 x 24.5 x 26.5
	Volume(cbm)	0.0263

PS692



Main Features

- Compatible with most mobile devices
- Dual USB output
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power Indicator

Specifications

Battery: 3.7V 10000mAh 37Wh, Li-polymer battery
Input: Micro USB 5V $\overline{\text{---}}$ 2A
Output: 5V $\overline{\text{---}}$ 2.1A(Total)
 output 1: 5V $\overline{\text{---}}$ 1A
 Output 2: 5V $\overline{\text{---}}$ 2.1A



PS692-100HCB

Accessory:
 USB Cable
 (L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%

Packaging

	Weight(g)	220
	Dimensions (W) x (H) x (D)(mm)	138 x 69 x 16.8
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.8 x 13.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	12.01
	Gross Weight(kg)	12.63
	Dimensions (L)x (W) x (H) (cm)	40.5 x 28.5 x 26.5
	Volume(cbm)	0.0306

PS709



Accessory:
USB Cable
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%



Main Features

- Compatible with most mobile devices
- Dual USB output
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- LED power Indicator

Specifications

Battery: 3.7V 8000mAh 29.6Wh, Li-polymer battery
Input: Micro USB 5V \equiv 2A
Output 1: 5V \equiv 2.1A
Output 2: 5V \equiv 2.1A

Packaging

	Weight(g)	192
	Dimensions (W) x (H) x (D)(mm)	133 x 72 x 17
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
	Volume(cbm)	/

PS712



Accessory:
USB Cable
(L:30cm)



Main Features

- Compatible with most mobile devices
- Support Micro USB and Type-C input
- Support USB and type-C output
- Over-charge, over-discharge, over-current, short circuit protection
- Auto On/Off
- Digital power Indicator

Specifications

Battery: 3.7V 10000mAh 37Wh, Li-polymer battery
Input: Micro USB: 5V \equiv 1.5A Type-C:5V \equiv 2.4A
Output: USB-A: 5V \equiv 2.4A Type-C:5V \equiv 3A

Packaging

	Weight(g)	230
	Dimensions (W) x (H) x (D)(mm)	153 x 75 x 15
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
	Volume(cbm)	/

> Wireless Charger Mobile Power

Camelion Wireless Charger Mobile Power offers the best charging experience ever. It is equipped with multiple protection and high efficient conversion circuit. The device works as a mobile power and a wireless charger at the same time, and compatible to WPC transfer transmitter standard.

Camelion®

PSW50



PSW50-HCB

Accessory:
USB Cable
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%



Main Features

- 2 IN 1 Wireless Charger and Mobile power
- 5000mAh Mobile Power
- Compatible Qi Standard
- Compatible with all USB powered devices
- Easy to read power and wireless charging work indicator
- Non-slip

Specifications

Battery: 3.7V 5000mAh 18.5Wh, Li-polymer battery
Input: Micro USB: 5V \equiv 2A
 Type-C: 5V \equiv 2A
Output: USB: 5V \equiv 2.1A
 Wireless Charging: 5W Max
 USB + Wireless Charging: 10W Max

Packaging

	Weight(g)	160
	Dimensions (W) x (H) x (D)(mm)	76 x 154 x 11.5
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.8 x 11.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	9.36
	Gross Weight(kg)	9.96
	Dimensions (L)x (W) x (H) (cm)	40.5 x 24.5 x 26.5
	Volume(cbm)	0.0263

PSW100



PSW100-HCB

Accessory:
USB Cable
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%



Main Features

- 2 IN 1 Wireless Charger and Mobile power
- 10000mAh Mobile Power
- Compatible Qi Standard
- Compatible with all USB powered devices
- Easy to read power and wireless charging work indicator
- Non-slip

Specifications

Battery: 3.7V 10000mAh 37Wh, Li-polymer battery
Input: Micro port: 5V \equiv 2A
 Type-C port: 5V \equiv 2A
Output: USB port: 5V \equiv 2.1A
 Wireless Charging: 5W max
 USB port + Wireless Charging: 10W max

Packaging

	Weight(g)	230
	Dimensions (W) x (H) x (D)(mm)	68.5 x 143 x 18
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.8 x 15.8 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	12
	Gross Weight(kg)	12.6
	Dimensions (L)x (W) x (H) (cm)	40.5 x 33.1 x 26.5
	Volume(cbm)	0.0352

> Wireless Charger

Camelion Wireless charger offers you convenient, efficient and reliable power source for your mobile devices. Compatible Qi wireless charging standard, we ensure you the product supports almost all wireless charging receivers and fully compliant with international safety standards.

WLC-001



WLC-001-HCB

Accessory:
USB Cable
(L:1m)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%

Main Features

- Stylish Appearance - transparent materials applied, with simple operating procedures
- Compatible Qi standard - support most of Qi wireless power receiver
- Non-slip - designed with a non-slippery area within the surface
- LED Indicator - clear display about battery status and charge status

Specifications

Input: Micro USB 5V $\bar{}$ 2A Max
Output: 5W (Max)
Charging Efficiency: up to 75%

Packaging

	Weight(g)	80
	Dimensions (mm)	$\phi 100 \times 10$
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	42
	Net Weight(kg)	4.8
	Gross Weight(kg)	4.9
	Dimensions (L)x (W) x (H) (cm)	38 x 12.5 x 24.5
	Volume(cbm)	0.0116

WLC-002



WLC-002-HCB

Accessory:
Adaptor
USB Cable(L:1m)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
● ● ● ○	50%-75%
● ● ○ ○	25%-50%
● ○ ○ ○	<25%

Main Features

- Stylish Appearance - Elliptical shape and inclined surface, with simple operating procedures
- Fast Wireless Charging - output up to 10W
- Qi Certified - support most of Qi wireless power receiver
- Non-slip - designed with a non-slippery area within the surface
- LED Indicator - clear display about charge status

Specifications

Input: Micro USB 5V $\bar{}$ 2A / 9V $\bar{}$ 2A
Output: 10W Max
Charging Efficiency: up to 75%
Operating Temperature: up to 40°C

Adapter:
Input AC 100-240V
Output: 18W QC3.0

Packaging



	Weight(g)	83
	Dimensions (mm)	96 x 115 x 24
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	20
	Net Weight(kg)	2.3
	Gross Weight(kg)	2.38
	Dimensions (L)x (W) x (H) (cm)	38 x 12.5 x 24.5
	Volume(cbm)	0.0116

> Wall Chargers

Camelion Wall Chargers offers you fast, reliable and efficient charging at home, office or during your travels. It comes in different sizes and all works with universal voltage, providing you the convenience of charging your mobile devices wherever you go.

Camelion®

AD582



AD582-HCB

Main Features

- Compatible with most tablets and smart phones
- Dual USB port enable to charge 2 devices at the same time
- Over current and short circuit protection



Specifications

Input: 100-240V ~ 50/60Hz 0.5A Max
Output: 5V \equiv 2.4A (Max Total)
 5V \equiv 2.4A (Each USB)

Packaging

Blister	Plug:	UL	TUV
	Weight(g)	80	85
Dimensions (W) x (H) x (D)(mm)	80 x 150 x 21	80 x 150 x 21	
Inner Carton	Packs / Inner ctn	24	24
	Net Weight(kg)	/	/
	Gross Weight(kg)	/	/
	Dimensions (L)x (W) x (H) (cm)	36 x 31 x 9.2	36 x 31 x 9.2
Outer Carton	Packs / Carton	48	48
	Net Weight(kg)	2.1	/
	Gross Weight(kg)	3.2	/
	Dimensions (L)x (W) x (H) (cm)	31 x 32.5 x 21	31 x 32.5 x 21
	Volume(cbm)	0.025	0.025

AD585C



AD585C-HCB

Main Features

- Compact
- Maximum 3 Output
- Type C output
- Short Circuit Protection
- Over Current Protection

Specifications

Input: 100-240V ~ 50/60Hz 600mA Max
Output: 5V \equiv 3.4A(Max total)
 5V \equiv 2.4A(Each USB)
 5V \equiv 3.0A(Type-C)


Packaging

Blister	Plug:	TUV
	Weight(g)	80
Dimensions (W) x (H) x (D)(mm)	80 x 150 x 29	
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	3.84
	Gross Weight(kg)	4.46
	Dimensions (L)x (W) x (H) (cm)	39.5 x 32.5 x 20.5
	Volume(cbm)	0.0263

AD585



AD585-HCB



Main Features

- Compatible with most tablets and Smartphones
- 3 USB ports enable to charge 3 devices at the same time
- Over current and short circuit protections

Specifications

Input: 100-240V ~ 50/60Hz 600mA Max
Output: 5V $\overline{\text{---}}$ 3.4A (Max total)
 5V $\overline{\text{---}}$ 2.4A (Each USB)


Packaging

Blister	Plug:	/
	Weight(g)	/
	Dimensions (W) x (H) x (D)(mm)	/
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	39.5 x 32.5 x 20.5
	Volume(cbm)	0.0263

AD583



AD583-HCB



Main Features

- Quick charge 3.0 output
- Dual USB output
- Short circuit and over current protections

Specifications

Input: 100-240V ~ 50/60Hz 600mA Max
Output: 30W(Max total)
 USB 1: 5V $\overline{\text{---}}$ 3A, 9V $\overline{\text{---}}$ 2A, 12V $\overline{\text{---}}$ 1.5A, QC3.0
 USB 2: 5V $\overline{\text{---}}$ 2.4A


Packaging

Blister	Plug:	TUV
	Weight(g)	80
	Dimensions (W) x (H) x (D)(mm)	80 x 150 x 30
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	39 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	4.8
	Gross Weight(kg)	5.42
	Dimensions (L)x (W) x (H) (cm)	40.5 x 32.5 x 20.5
	Volume(cbm)	0.0269

AD594



AD594-HCB



Main Features

- Compatible with most tablets and Smartphones
- Type-C port support PD protocol for quick charging
- Over current and short circuit protections

Specifications

Input: 100-240V~50/60Hz 0.5A
Output: 5V --- 3A
 9V --- 2A
 12V --- 1.5A


Packaging

Blister	Plug:	TUV
	Weight(g)	84
Dimensions (W) x (H) x (D)(mm)		80 x 150 x 29
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	4.03
	Gross Weight(kg)	4.65
	Dimensions (L)x (W) x (H) (cm)	39.5 x 32.5 x 20.5
	Volume(cbm)	0.0263

AD595F



AD595F-HCB



Main Features

- Compatible with most tablets and Smartphones
- Dual USB port support PD and QC3.0 protocol for quick charging
- Over current and short circuit protections

Specifications

Input: 100-240V~50/60Hz 0.5A
Output: Type-C PD3.0
 5V --- 3A, 9V --- 2A, 12V --- 1.5A
 Type-A QC3.0
 5V --- 3A, 9V --- 2A, 12V --- 1.5A
Power: 18W Max

Packaging

Blister	Plug:	TUV
	Weight(g)	83
Dimensions (W) x (H) x (D)(mm)		80 x 150 x 29
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight(kg)	3.98
	Gross Weight(kg)	4.6
	Dimensions (L)x (W) x (H) (cm)	39.5 x 32.5 x 20.5
	Volume(cbm)	0.0263

> Car Chargers

Camelion USB Car Charger is one of the smallest, simplest car chargers on the market today, and provides power for mobile devices when you are on the road.

DD802



Main Features


- Powered directly from cigarette lighter plug
- Compatible with most vehicle power ports
- Compatible with most mobile devices
- Short circuit & overheating protections

Specifications

Input: 12 - 24V $\overline{\text{---}}$
Output: 5V $\overline{\text{---}}$ 1A



DD802-DB



Packaging

Blister	Weight(g)	56.3
	Dimensions (W) x (H) x (D)(mm)	112 x 184 x 57
Inner Carton	Packs / Inner ctn	24
	Dimensions (L)x (W) x (H) (cm)	23.1 x 19.1 x 12.4
Outer Carton	Packs / Carton	48
	Net Weight(kg)	2.7
	Gross Weight(kg)	3.9
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	39.6 x 24.5 x 40 0.0388

DD811



Main Features


- 2.1A output USB port for fast charging
- Powered directly from cigarette lighter plug
- Compatible with most vehicle power ports
- Compatible with most mobile devices
- Short circuit & overheating protections

Specifications

Input: 12 - 24V $\overline{\text{---}}$ 1.3A Max
Power Output: 5V $\overline{\text{---}}$ 2.1A



DD811-DB



Packaging

Blister	Weight(g)	52
	Dimensions (W) x (H) x (D)(mm)	107 x 171 x 55
Inner Carton	Packs / Inner ctn	24
	Dimensions (L)x (W) x (H) (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight(kg)	1.9
	Gross Weight(kg)	2.9
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	36.5 x 32.5 x 38.0 0.0388

DD823



Main Features


- Compatible with most mobile devices
- Dual USB port enable to charge 2 mobile devices at the same time

Specifications

Input: 12V - 24V $\overline{\text{---}}$ 1.3A Max
Output: 5V $\overline{\text{---}}$ 2.1A(Max total)
 5V $\overline{\text{---}}$ 2.1A(Each USB)




DD823-DB



Packaging

Blister	Weight(g)	66
	Dimensions (W) x (H) x (D)(mm)	107x 171 x 35
Inner Carton	Packs / Inner ctn	24
	Dimensions (L)x (W) x (H) (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight(kg)	3.2
	Gross Weight(kg)	4
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	36.5 x 32.5 x 38 0.0451

DD812



Unit:mm

DD812-DB



Main Features

- 3.4A USB ports for possible fast charging
- Dual-USB port enable to charge 2 devices at the same time
- Power for tablet, smartphone and other mobile devices
- Over Current and short circuit protection


Specifications

Input: 12V - 24V \equiv 2A Max
Output: 5V \equiv 3.4A (2.4A + 1A)

Packaging

Blister	Weight(g)	66
	Dimensions (W) x (H) x (D)(mm)	133 x 220 x 69
Inner Carton	Packs / Inner ctn	18
	Dimensions (L)x (W) x (H) (cm)	41.5 x 30 x 23.5
Outer Carton	Packs / Carton	36
	Net Weight(kg)	2.4
	Gross Weight(kg)	3.9
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	48.5 x 31.5 x 43.5 0.0665

DD822C



Unit:mm

DD822C-DB



Main Features

- 4.8A USB ports for possible fast charging
- Dual-USB port enable to charge 2 devices at the same time
- Power for tablet, smartphone and other mobile devices
- Over Current and short circuit protection

Specifications

Input: 12V - 24V \equiv 3A Max
Output: 5V \equiv 4.8A (Max total)
 5V \equiv 2.4A (Each USB)

Packaging

Blister	Weight(g)	28
	Dimensions (W) x (H) x (D)(mm)	107x 171 x 35
Inner Carton	Packs / Inner ctn	24
	Dimensions (L)x (W) x (H) (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight(kg)	1.91
	Gross Weight(kg)	2.53
	Dimensions (L)x (W) x (H) (cm) Volume(cbm)	36.5 x 32.5 x 38 0.0451

> USB Cable

Camelion USB Cable are flawlessly safe and durable. The cable can withstand bending and plugging for up to 3000 times, and is compatible with 2.4A fast chargers, making it the perfect choice to charge your device.

CDC011

TYPE-C Charging Cable



Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

CDC012

Lightning Charging Cable



Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

CDC013

Micro USB Charging Cable




Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

CDC015

2 in 1 Charging Cable
Lightning 8 pin & Micro USB



Main Features

- Micro USB + 8 pin Lightning
- Durable Nylon Cable
- Over 3000 plug in & unplug cycles
- Compatible with 2.4A fast chargers
- Temperature resistant
- 1 meter length

CDC016

3 in 1 USB Charging Cable
Lightning & Micro USB & Type C



Main Features

- Micro USB + 8 pin Lightning + Type C
- Durable Nylon cable
- Over 3000 plug in & unplug cycles
- Compatible with 2.4A fast chargers

CDC018

Type-C data cable
Type-C to Lightning



Main Features

- Type-C to 8 pin Lightning
- Sync data
- Durable Nylon cable
- Over 3000 plug in & unplug cycles

CDC019

Type-C data cable
Type-C to Micro USB



Main Features

- Type-C to Micro USB
- Sync data
- Durable Nylon cable
- Over 3000 plug in & unplug cycles

CDC020

Type-C data cable
Type-C to Type-C



Main Features

- Type-C to Type-C
- Sync data
- Durable Nylon cable
- Over 3000 plug in & unplug cycles

Packaging



Model		CDC012	CDC013	CDC015	CDC016
Cable	Length(cm)	100	100	100	100
	Weight(g)	42	42	42	42
Blister	Dimensions (W) x (H) x (D)(mm)	173 x 92 x 21	173 x 92 x 21	173 x 92 x 21	173 x 92 x 21
	Packs / Inner ctn	12	12	12	12
Inner Carton	Dimensions (L)x (W) x (H) (cm)	27.6 x 9.9 x 18.8	27.6 x 9.9 x 18.8	27.6 x 9.9 x 18.8	27.6 x 9.9 x 18.8
	Packs / Carton	96	96	96	96
Outer Carton	Net Weight(kg)	3.9	3.9	3.9	3.9
	Gross Weight(kg)	5.3	5.3	5.3	5.3
	Dimensions (L)x (W) x (H) (cm)	42.0 x 29.0 x 40.0	42.0 x 29.0 x 40.0	42.0 x 29.0 x 40.0	42.0 x 29.0 x 40.0
	Volume(cbm)	0.0487	0.0487	0.0487	0.0487

> Car Charger + USB Cable

Camelion Car Charger + USB Cable combination pack has all you need with a special price. The car charger provides stable output, and the cable provides a fast and safe connection. They provide all the necessities when travelling around or driving on the road.



	Car Charger	USB Cable
Combination	DD802, DD811, DD812, DD822C, DD823	CDC012, CDC013, CDC015, CDC016
Box	Weight(g)	85*
	Dimensions (W) x (H) x (D)(mm)	85 x 167 x 30
Inner Carton	Packs / Inner ctn	12
	Dimensions (L)x (W) x (H) (cm)	19.5 x 18.0 x 20.5
Outer Carton	Packs / Carton	48
	Net Weight(kg)	3.2*
	Gross Weight(kg)	4.7*
	Dimensions (L)x (W) x (H) (cm)	41.0 x 38.0 x 22.5
	Volume(cbm)	0.0351

*Different product combination will result in different gross weight